

Sinfonia opal cover

Indoor | Showcase Lighting | IP40 | Class III | Dimmable





LIGHT SOURCE & OPTIC

Power
15W/m

Covers
Opal cover

Beam Direction
Adjustable: Tilting +/- 360°, Symmetrical

Material
Polycarbonate

LED quantity
233

Binning
2 MacAdam steps

Color temperature & quality
2200K CRI>80
2700K CRI>90
3000K CRI>90
3500K CRI>90
4000K CRI>90

Lifetime (Ta 25°)
L_{85} >95.000 hrs

Source Flux (3000K CRI>90)
1956 lm/m

FIXTURE

Dimensions
D 8mm x H 8mm x L:
030 033 036 039
042 045 048 051
054 057 060 063
066 069 072 075
078 081 084 087
090 093 096 099
102

Material
Aluminium

Body finishes
Black
Gray

Weight
210gr/m

Mounting
On poles (see accessories, page 3)

Fixing
Screw base : Ø 8mm

Working temperature
-20° / +40°

ELECTRICAL FEATURES

Power supply
Constant tension: 12 Vdc

Driver
Remote (not included)

Control
On/off
Push switch
Phase Cut
0/1-10 V
Casambi
DALI


Feature
Magnetic joint

Product specifications and data are subject to change without warning, due to continue technical upgrades. Images are indicative of the quality and style of the product, but may not represent the precise details of the item you receive. Since we are constantly working to make improvements and for aesthetic reasons, cables and/or electrical elements are often not shown or specified.
For further information please check our website www.dga.it or send us an e-mail to ufficiotecnico@dga.it | Vs 261026

Sinfonia opal cover

PHOTOMETRIC DATA (3000K CRI>90 - Opal cover - L.102 cm)

15W/m - 105° | UGR 29



H (m)	D (m)	Eav (lx)
1	2.69	100
2	5.37	25
3	8.06	11
4	10.74	6
5	13.43	4

Total lumen output
782 lm

Efficacy
41 lm/W


Product specifications and data are subject to change without warning, due to continue technical upgrades. Images are indicative of the quality and style of the product, but may not represent the precise details of the item you receive. Since we are constantly working to make improvements and for aesthetic reasons, cables and/or electrical elements are often not shown or specified.
For further information please check our website www.dga.it or send us an e-mail to ufficiotecnico@dga.it | Vs 261026

Sinfonia opal cover

INSTALLATION ACCESSORIES

Poles

Necessary element: please specify always 1 kit in the purchase order




	Linear pole	T pole	Corner pole
H 18 cm	A00839._0	A00928._0	A00932._0
H 23 cm	A00840._0	A00929._0	A00933._0
H 28 cm	A00841._0	A00930._0	A00934._0
H 33 cm	A00842._0	A00931._0	A00935._0

SUGGESTED REMOTE DRIVERS


On/Off :

CV20-F-12-N



Multifunction (DALI 2, 0/1-10V, PUSH):

CV25-DM-12-NI



Ø 44

Other options upon request

Product specifications and data are subject to change without warning, due to continue technical upgrades. Images are indicative of the quality and style of the product, but may not represent the precise details of the item you receive. Since we are constantly working to make improvements and for aesthetic reasons, cables and/or electrical elements are often not shown or specified.
For further information please check our website www.dga.it or send us an e-mail to ufficiotecnico@dga.it | Vs 261026