

































Alimentatori 350mA IP20

350mA LED driver IP20


























■ NON DIMMERABILI NOT DIMMABLE

IP20	CODE	MIN - MAX LED	Vin	DIMENSIONS (mm)	CUT-OUT	CERTIFICATIONS
IP20	CC6-F-350-N	1 - 6 LED 1W 1 LED 4W 1 LED ZOOM	@230Vac		 Ø 42	  * EAC
		1 - 6 LED 1W 1 LED 4W 1 LED ZOOM	@110Vac			
IP20	CC14-F-350N	1 - 13 LED 1W 1 - 4 LED 4W 1 - 3 LED ZOOM 1 LED 12W	@230Vac		 Ø 40	    *
		1 - 9 LED 1W 1 - 2 LED 4W 1 - 2 LED ZOOM	@110Vac			
IP20	CC15-F-350-S	1 - 13 LED 1W 1 - 3 LED 4W 1 - 3 LED ZOOM 1 LED 12W	@230Vac		 Ø 32	   * EAC
		1 - 5 LED 1W 1 LED 4W 1 LED ZOOM	@110Vac			
IP20	CC20-F-350-N	1 - 16 LED 1W 1 - 5 LED 4W 1 - 4 LED ZOOM 1 LED 12W	@230Vac		 Ø 55	   * EAC
IP20	CC25-F-350-NT	7 - 16 LED 1W 3 - 5 LED 4W 2 - 4 LED ZOOM 1 LED 12W	@230Vac		 Ø 45	  EAC 
IP20	CC50-F-350-N	10 - 23 LED 1W 1 - 8 LED 4W 1 - 6 LED ZOOM 1 - 2 LED 12W	@230Vac		 Ø 84	    * EAC 
		10 - 23 LED 1W 1 - 8 LED 4W 1 - 6 LED ZOOM 1 - 2 LED 12W	@110Vac			

Alimentatori 500mA IP20

500mA LED driver IP20


























■ NON DIMMERABILI NOT DIMMABLE

IP20	CODE	MIN - MAX LED	V _{in}	DIMENSIONS (mm)	CUT-OUT	CERTIFICATIONS
CC6-F-500-N		1 - 3 LED 2W 1 LED 6W	@230Vac	 22 35 77	 Ø 42	 * EAC
		1 - 3 LED 2W 1 LED 6W	@110Vac			
CC10-F-500-NI		1 - 5 LED 2W 1 LED 6W	@230Vac	 23 39 76	 Ø 44	
		1 - 3 LED 2W 1 LED 6W	@110Vac			
CC14-F-500-S		1 - 7 LED 2W 1 - 2 LED 6W	@230Vac	 19 22 150	 Ø 32	 cULus  * EAC
		1 - 4 LED 2W 1 - 2 LED 6W	@110Vac			
CC20-F-500-N		1 - 10 LED 2W 1 - 3 LED 6W 1 LED 18W	@230Vac	 22 52 119	 Ø 55	   * EAC
CC25-F-500-NT		7 - 12 LED 2W 2 - 4 LED 6W 1 LED 18W	@230Vac	 30 43 157	 Ø 45	  EAC 
CC50-F-500-N		10 - 22 LED 2W 1 - 5 LED 6W 1 - 2 LED 18W	@230Vac	 22 79 124	 Ø 84	  cULus  * EAC 
		10 - 22 LED 2W 1 - 5 LED 6W 1 - 2 LED 18W	@110Vac			

Alimentatori 24Vdc IP20

24Vdc LED driver IP20

■ NON DIMMERABILI NOT DIMMABLE

IP20	CODE	MAX LED	Vin	DIMENSIONS (mm)	CUT-OUT	CERTIFICATIONS
	CV6-F-24-NI	6W - 0,25A max	220-240 Vac	 21 31 68	 Ø 36	
		3W - 0,12A max	100-120 Vac			
	CV8-F-24-N	8W - 0,35A max	220-240 Vac	 22 35 77	 Ø 42	  EAC
		8W - 0,35A max	100-120 Vac			
	CV20-F-24-N	21W - 1,04A max	220-240 Vac	 19 55 146	 Ø 60	EAC
		8,5W - 0,42A max	100-120 Vac			
	CV35-F-24-NI	32W - 1,5A max	220-240 Vac	 22 32 230	 Ø 39	
	CV60-F-24-NE*	52W - 2,5A max	100-120 Vac	 33 (1.3") 76 (3") 240 (9.45")	 Ø 84 (3.3")	
	CV70-F-24-N	63W - 2,9A max	220-240 Vac	 36 60 225	 Ø 70	EAC
	CV75-F-24-NI	70W - 3,125A max	220-240 Vac	 29 41 280	 Ø 49	
		35W - 1,5A max	100-120 Vac			
	CV96-F-24-NT	87W - 4A max	220-240 Vac	 21 40 300	 Ø 46	
		87W - 4A max	100-120 Vac			
	CV100-F-24-NE*	83W - 4A max	100-120 Vac		 Ø 84 (3.3")	
	CV150-F-24-N	140W - 6,25A max	220-240 Vac	 33 (1.3") 76 (3") 281 (11.06")	 Ø 80	EAC
	CV180-F-24-NT	162W - 7,5A max	220-240 Vac	 31 64 280	 Ø 72	
		162W - 7,5A max	100-120 Vac			

*Non adatto al mercato UE, solo per utilizzo negli USA
Not suitable for the UE market, only for USA installation